

NATURA

NATURA


collection by





N-169

Natura is designed and engineered for durability over time with its resilient body and yield optimization making it ideal for both high performance residential and commercialized furniture. It is available in wide array of most prevailing color palette.





N-692



N-500



LAKE



N-661



N-678



N-668



N-669



N-683



N-2012



MUSTARD



N-693



N-2020



N-666



N-665



N-6216



BLUE



N-600



N-2900



N-696



N-610



N-685



N-118



GREEN



N-670

Matching PVC : Available for all colors

Color Disclaimer : Actual stock might vary from samples shown. Slight color variations from batch to batch should be expected.

Ritzledér

NATURA TECHNICAL SPECIFICATION

ARTICLE DESCRIPTION

Top grain leather with consistent emboss that offers extremely good yield.

GENERAL DATA

APPLICATION:	UPHOLSTERY
FINISHING:	PIGMENTED
DRY METHOD:	TOGGLED
GRAIN:	BUFFED
PRINT:	URUGUAY
THICKNESS:	0.9/1.1MM

TEST	METHOD	PARAMETER
TEAR RESISTANCE	ISO3377-1	MIN 30N
LIGHT FASTNESS	ISO105-B02	MIN 4/5 - BLUE SCALE
RESISTANCE TO RUBBING	ISO11640	DRY - 500X - MIN GRADE 4 WET - 250X - MIN GRADE 3/4 ALKALINE PERSPIRATION - 80X - MIN GRADE 3/4
FLEXING ENDURANCE	ISO5402	50,000 CYCLES - NO CRACKS VISIBLE WITH 6X MAGNIFYING GLASS
FINISH ADHESION	ISO11644	MIN 3N/CM
pH	ISO4045	MIN 3.5

TO PRESERVE AND MAINTAIN YOUR VALUED ASSET

CLEANING	<ul style="list-style-type: none">* Regularly vacuum dust and grit* Clean with proper leather cleaning kit with the use of sponge / soft cloth in light circular motion and wipe immediately with slightly damp cloth to remove residues, allow to air dry* Always apply leather moisturizer after cleaning to form protection shield over dirt and to keep leather supple* Remove spills or stains immediately
PROTECTION	<ul style="list-style-type: none">* Avoid exposure to sunlight for long period* Avoid from direct / excessive heat or exposure to weather* Avoid from sharp objects
AVOID	<ul style="list-style-type: none">* Do not use solvents, oil, varnishes or any abrasive chemicals / detergents* Do not dry clean / machine wash* Do not use saddle soap* Do not soak
NOTE	<ul style="list-style-type: none">* Always test the cleaning in a small hidden part to check the result

When in doubt obtain expert advice



Head Office
Lot 1808, Jalan KPB-3, Kawasan Perindustrian Kampung Baru Balakong,
43300 Seri Kembangan, Selangor, Malaysia.
Tel: +603 8961 8998, 8961 0098, 8962 6708, 8962 2890, 8961 5998
Off Mobile: +6012 399 8237, 012 399 8217
Fax: +603 8961 6998 (Sales), 8961 0998 (Admin Dept)
Email: sales@kimmark.com Website: www.kimmark.com

Johor Bahru Branch
No.79, Jalan Cemerlang, Taman Perindustrian Cemerlang,
81800 Ulu Tiram, Johor, Malaysia.
Tel: +607 8635 698, 8635 798 Fax: +607 8637 398